


FLANSCH-DICHTUNGEN

nach DIN 2690

Aus Material Klinger C-4300 Aramidfasern gebunden mit NBR (asbestfrei); 2mm stark



	Artikel	Dimen- sion	DN mm	PN bar	Preis €/Stk.
+	IT-DI610	18X38X2	10	6	0,39
+	IT-DI1610	18X45X2	10	10-40	0,66
+	IT-DI615	22X43X2	15	6	0,49
+	IT-DI1615	22X50X2	15	10-40	0,79
+	IT-DI620	28X53X2	20	6	0,64
+	IT-DI1620	28X60X2	20	10-40	0,81
+	IT-DI625	35X63X2	25	6	0,86
+	IT-DI1625	35X70X2	25	10-40	1,06
+	IT-DI632	43X75X2	32	6	1,20
+	IT-DI1632	43X82X2	32	10-40	1,41
+	IT-DI640	49X85X2	40	6	1,51
+	IT-DI1640	49X92X2	40	10-40	1,76
+	IT-DI650	61X95X2	50	6	1,62
+	IT-DI1650	61X107X2	50	10-40	2,06
+	IT-DI665	77X115X2	65	6	2,26
+	IT-DI1665	77X127X2	65	10-40	2,80
+	IT-DI680	90X132X2	80	6	2,93
+	IT-DI1680	90X142X2	80	10-40	3,42
+	IT-DI6100	115X152X2	100	6	3,56
+	IT-DI16100	115X162X2	100	10-16	4,24
+	IT-DI40100	115X168X2	100	25-40	4,60
+	IT-DI6125	141X182X2	125	6	7,51
+	IT-DI16125	141X192X2	125	10-16	8,31
+	IT-DI40125	141X195X2	125	25-40	8,58


	Artikel	Dimen- sion	DN mm	PN bar	Preis €/Stk.
+	IT-DI6150	169X207X2	150	6	8,96
+	IT-DI16150	169X218X2	150	10-16	9,92
+	IT-DI40150	169X225X2	150	25-40	10,61
+	IT-DI6175	195X237X2	175	6	11,45
+	IT-DI16175	195X248X2	175	10-16	11,84
+	IT-DI25175	195X255X2	175	25	12,14
+	IT-DI40175	195X267X2	175	40	12,74
+	IT-DI6200	220X262X2	200	6	12,89
+	IT-DI16200	220X273X2	200	10-16	14,29
+	IT-DI25200	220X285X2	200	25	15,66
+	IT-DI40200	220X292X2	200	40	16,34
+	IT-DI6250	274X318X2	250	6	17,84
+	IT-DI10250	274X328X2	250	10	19,17
+	IT-DI16250	274X330X2	250	16	19,41
+	IT-DI25250	274X342X2	250	25	21,06
+	IT-DI40250	274X353X2	250	40	22,62
+	IT-DI6300	325X373X2	300	6	23,54
+	IT-DI10300	325X378X2	300	10	24,37
+	IT-DI16300	325X385X2	300	16	25,53
+	IT-DI25300	325X402X2	300	25	28,19
+	IT-DI40300	325X418X2	300	40	29,27
+	IT-DI10350	368X438X2	350	10	32,90
+	IT-DI40350	368X475X2	350	40	70,42
+	IT-DI10400	420X490X2	400	10	48,10

+ kurzfristig aus Werksvorrat

FLANSCH-DICHTUNGEN

nach DIN 2690

Aus Material Klinger C-4400 Aramidfasern gebunden mit NBR (asbestfrei); 2mm stark




Artikel	Dimension	DN mm	PN bar	Preis €/Stk.
DIC4400-4015	50X22X2	15	10-40	0,66
DIC4400-620	53X28X2	20	6	0,73
DIC4400-4020	60X28X2	20	10-40	0,91
DIC4400-625	63X35X2	25	6	0,98
DIC4400-4025	70X35X2	25	10-40	1,21
DIC4400-632	75X43X2	32	6	1,37
DIC4400-4032	82X43X2	32	10-40	1,61
DIC4400-640	85X49X2	40	6	1,72
DIC4400-4040	92X49X2	40	10-40	2,01
DIC4400-650	95X61X2	50	6	1,85
DIC4400-4050	107X61X2	50	10-40	2,34
DIC4400-665	115X77X2	65	6	2,58
DIC4400-4065	127X77X2	65	10-40	3,18
DIC4400-680	132X90X2	80	6	3,34
DIC4400-4080	142X90X2	80	10-40	3,89
DIC4400-6100	152X115X2	100	6	4,06
DIC4400-16100	162X115X2	100	10-16	4,82
DIC4400-40100	168X115X2	100	25-40	5,52
DIC4400-6125	182X141X2	125	6	9,01
DIC4400-16125	192X141X2	125	10-16	9,44
DIC4400-40125	195X141X2	125	25-40	10,73

Artikel	Dimension	DN mm	PN bar	Preis €/Stk.
DIC4400-6150	207X169X2	150	6	10,75
DIC4400-16150	218X169X2	150	10-16	11,28
DIC4400-40150	225X169X2	150	25-40	12,84
DIC4400-6200	262X220X2	200	6	16,50
DIC4400-16200	273X220X2	200	10-16	18,28
DIC4400-25200	285X220X2	200	25	20,83
DIC4400-40200	292X220X2	200	40	21,77
DIC4400-6250	318X274X2	250	6	24,08
DIC4400-10250	328X274X2	250	10	26,16
DIC4400-16250	330X274X2	250	16	26,16
DIC4400-25250	342X274X2	250	25	28,77
DIC4400-40250	353X274X2	250	40	30,23
DIC4400-10300	378X325X2	300	10	34,77
DIC4400-16300	385X325X2	300	16	36,73
DIC4400-25300	402X325X2	300	25	38,64
DIC4400-40300	418X325X2	300	40	44,31
DIC4400-10350	438X368X2	350	10	44,42
DIC4400-10400	490X420X2	400	10	64,94

FLANSCH-DICHTUNGEN

nach DIN 2690

Aus Material Klinger Graphit-Laminat PSM mit Spießblecheinlage; 2mm stark




Artikel	Dimension	DN mm	PN bar	Preis €/Stk.
DIPSM-4015	50X22X2	15	10-40	2,55
DIPSM-4020	60X28X2	20	10-40	3,13
DIPSM-4025	70X35X2	25	10-40	3,63
DIPSM-4032	82X43X2	32	10-40	4,39
DIPSM-4040	92X49X2	40	10-40	4,92
DIPSM-4050	107X61X2	50	10-40	5,94
DIPSM-4065	127X77X2	65	10-40	7,19
DIPSM-4080	142X90X2	80	10-40	9,69
DIPSM-16100	162X115X2	100	10-16	11,78
DIPSM-40100	168X115X2	100	25-40	12,52
DIPSM-16125	192X141X2	125	10-16	16,14
DIPSM-40125	195X141X2	125	25-40	17,28
DIPSM-16150	218X169X2	150	10-16	19,86
DIPSM-40150	225X169X2	150	25-40	21,48
DIPSM-16200	273X220X2	200	10-16	29,90
DIPSM-25200	285X220X2	200	25	31,31
DIPSM-40200	292X220X2	200	40	32,41
DIPSM-16250	330X274X2	250	16	35,15
DIPSM-25250	342X274X2	250	25	36,52
DIPSM-40250	353X274X2	250	40	37,64
DIPSM-16300	385X325X2	300	16	47,15
DIPSM-25300	402X325X2	300	25	49,67
DIPSM-40300	418X325X2	300	40	54,71

FLANSCH-DICHTUNGEN

nach DIN 2690

Aus Material Klinger top-chem 2000; Hochleistungswerkstoff auf PTFE-Basis, 2mm stark



Artikel	Dimension	DN mm	PN bar	Preis €/Stk.
DITOPC2000-4015	50X22X2	15	10-40	9,54
DITOPC2000-4020	60X28X2	20	10-40	12,50
DITOPC2000-4025	70X35X2	25	10-40	15,67
DITOPC2000-4032	82X43X2	32	10-40	19,40
DITOPC2000-4040	92X49X2	40	10-40	23,65
DITOPC2000-4050	107X61X2	50	10-40	31,63
DITOPC2000-4065	127X77X2	65	10-40	41,77
DITOPC2000-4080	142X90X2	80	10-40	47,40
DITOPC2000-16100	162X115X2	100	10-16	54,35
DITOPC2000-40100	168X115X2	100	25-40	58,67
+ DITOPC2000-16125	192X141X2	125	10-16	67,73
DITOPC2000-40125	195X141X2	125	25-40	74,06
+ DITOPC2000-16150	218X169X2	150	10-16	82,43
DITOPC2000-40150	225X169X2	150	25-40	89,40
+ DITOPC2000-16200	273X220X2	200	10-16	118,76
+ DITOPC2000-25200	285X220X2	200	25	126,05
DITOPC2000-40200	292X220X2	200	40	127,12
+ DITOPC2000-16250	330X274X2	250	16	164,64
+ DITOPC2000-25250	342X274X2	250	25	180,02
+ DITOPC2000-40250	353X274X2	250	40	188,48
DITOPC2000-16300	385X325X2	300	16	225,75
DITOPC2000-25300	402X325X2	300	25	243,60
DITOPC2000-40300	418X325X2	300	40	266,81

+ kurzfristig aus Werksvorrat